NASA/TM-2000-209891, Vol. 186



Technical Report Series on the Boreal Ecosystem-Atmosphere Study (BOREAS)

Forrest G. Hall and Andrea Papagno, Editors

Volume 186 BOREAS TE-22 Allometric Forest Survey Data

H.H. Shugart and E. Nielsen

National Aeronautics and Space Administration

Goddard Space Flight Center Greenbelt, Maryland 20771

The NASA STI Program Office ... in Profile

Since its founding, NASA has been dedicated to the advancement of aeronautics and space science. The NASA Scientific and Technical Information (STI) Program Office plays a key part in helping NASA maintain this important role.

The NASA STI Program Office is operated by Langley Research Center, the lead center for NASA's scientific and technical information. The NASA STI Program Office provides access to the NASA STI Database, the largest collection of aeronautical and space science STI in the world. The Program Office is also NASA's institutional mechanism for disseminating the results of its research and development activities. These results are published by NASA in the NASA STI Report Series, which includes the following report types:

- TECHNICAL PUBLICATION. Reports of completed research or a major significant phase of research that present the results of NASA programs and include extensive data or theoretical analysis. Includes compilations of significant scientific and technical data and information deemed to be of continuing reference value. NASA's counterpart of peer-reviewed formal professional papers but has less stringent limitations on manuscript length and extent of graphic presentations.
- TECHNICAL MEMORANDUM. Scientific and technical findings that are preliminary or of specialized interest, e.g., quick release reports, working papers, and bibliographies that contain minimal annotation. Does not contain extensive analysis.
- CONTRACTOR REPORT. Scientific and technical findings by NASA-sponsored contractors and grantees.

- CONFERENCE PUBLICATION. Collected papers from scientific and technical conferences, symposia, seminars, or other meetings sponsored or cosponsored by NASA.
- SPECIAL PUBLICATION. Scientific, technical, or historical information from NASA programs, projects, and mission, often concerned with subjects having substantial public interest.
- TECHNICAL TRANSLATION.
 English-language translations of foreign scientific and technical material pertinent to NASA's mission.

Specialized services that complement the STI Program Office's diverse offerings include creating custom thesauri, building customized databases, organizing and publishing research results . . . even providing videos.

For more information about the NASA STI Program Office, see the following:

- Access the NASA STI Program Home Page at http://www.sti.nasa.gov/STI-homepage.html
- E-mail your question via the Internet to help@sti.nasa.gov
- Fax your question to the NASA Access Help Desk at (301) 621-0134
- Telephone the NASA Access Help Desk at (301) 621-0390
- Write to:
 NASA Access Help Desk
 NASA Center for AeroSpace Information
 7121 Standard Drive

Hanover, MD 21076-1320

NASA/TM-2000-209891, Vol. 186



Technical Report Series on the Boreal Ecosystem-Atmosphere Study (BOREAS)

Forrest G. Hall and Andrea Papagno, Editors

Volume 186 BOREAS TE-22 Allometric Forest Survey Data

H.H. Shugart and Eric Nielsen University of Virginia, Charlottesville

National Aeronautics and Space Administration

Goddard Space Flight Center Greenbelt, Maryland 20771

	Available from:	
NIACA Contourfour Armong units of		Notional Tasks: -1 Informed C
NASA Center for AeroSpace Information		National Technical Information Service
7121 Standard Drive		5285 Port Royal Road
Hanover, MD 21076-1320		Springfield, VA 22161
Drica Codo: A17		Dring Code, A10
Price Code: A17		Price Code: A10

BOREAS TE-22 Allometric Forest Survey Data

H.H. Shugart, Eric Nielsen

Summary

The BOREAS TE-22 team collected data sets in support of its efforts to characterize and interpret information on the forest structure of boreal vegetation in the SSA and NSA during the 1994 growing season. The data are stored in tabular ASCII files.

Table of Contents

- 1) Data Set Overview
- 2) Investigator(s)
- 3) Theory of N4) Equipment Theory of Measurements
- 5) Data Acquisition Methods
- 6) Observations
- 7) Data Description
- 8) Data Organization
- 9) Data Manipulations
- 10) Errors
- 11) Notes
- 12) Application of the Data Set
- 13) Future Modifications and Plans
- 14) Software
- 15) Data Access
- 16) Output Products and Availability
- 17) References
- 18) Glossary of Terms
- 19) List of Acronyms
- 20) Document Information

1. Data Set Overview

1.1 Data Set Identification

BOREAS TE-22 Allometric Forest Survey Data

1.2 Data Set Introduction

Terrestrial Ecology (TE)-22 collected spatial characteristics of boreal forest areas as part of the BOReal Ecosystem-Atmosphere Study (BOREAS) in the Southern Study Area (SSA) and the Northern Study Area (NSA) during the 1994 growing season.

1.3 Objective/Purpose

The objective of this research was to gain a better understanding of the impact of spatial heterogeneity on tree physiological processes.

1.4 Summary of Parameters

The data files contain parameters that can be divided according to a spatial scale of large to small:

- Plot
- Hectare
- Tree

Parameters relating to the entire plot are the location of the mapped plot or study area, stem map area, and the slope of the mapped plot. Parameters on a per hectare basis are tree density per hectare, basal area per hectare, percent of basal area that belongs to a specific species, and biomass per hectare. Parameters on the tree scale are crown height, crown depth, crown diameter, diameter at breast height (DBH), and the crown position of a tree.

1.5 Discussion

We are modeling the fixation and allocation of carbon into a heterogeneous forest structure, with the ability to predict climate-driven productivity and biomass into the future. One motivation for the model's development was the prospect of initializing it with only remotely sensed data, allowing projections of productivity and biomass (and ecosystem level correlates of these) to be made across broad spatial scales.

A dual-based model was constructed in which a forest plot was represented either as a collection of individual trees or as a spatially explicit canopy. Mechanistic modeling of canopy processes such as photosynthesis and evapotranspiration is performed in the canopy representation. Processes best understood at the level of the individual, such as carbon and nitrogen allocation among plant parts and senescence and mortality, are performed in the individual representation. Conversion between the two representations is performed by using crown allometries. Generally, the individual representation provides parameters for the canopy model, while the canopy model provides results of canopy processes that are used for incrementing the individual model.

1.6 Related Data Sets

BOREAS TE-06 Allometry Data BOREAS TE-07 Dendrology Data BOREAS RSS-15 SIR-C and Landsat TM Biomass and Landcover Maps of the NSA and SSA BOREAS TE-22 Allometric Forest Survey Data BOREAS TE-23 Map Plot Data

2. Investigator(s)

2.1 Investigator(s) Name and Title

H.H. Shugart Eric Nielsen

2.2 Title of Investigation

Multidisciplinary Integrative Models of Forest Ecosystem Dynamics for the Boreal Forest Biome

2.3 Contact Information

Contact 1:

H.H. Shugart
Dept. of Environmental Sciences
University of Virginia
Charlottesville, VA 22901
(804) 924-7761
(804) 982-2137 (fax)
hhs@virginia.edu

Contact 2:

Eric Nielsen Dept. of Environmental Sciences University of Virginia Charlottesville, VA 22901 (804) 979-6380 emn8c@fermi.clas.virginia.edu

Contact 3:

Andrea Papagno Raytheon ITSS NASA GSFC Code 923 Greenbelt, MD 20771 (301) 286-3134 (301) 286-0239 (fax) Andrea.Papagno@gsfc.nasa.gov

3. Theory of Measurements

One of the focuses of this research is the better understanding of the impact of spatial heterogeneity on tree physiological processes. We wanted to supplement the plot mapping work of TE-20 and TE-23 by sampling auxiliary sites. In addition to increasing the spatial extent of mapped territory, this work also extends plot maps to a wider variety of stand ages and environmental conditions.

4. Equipment

4.1 Sensor/Instrument Description

None given.

4.1.1 Collection Environment

Standard plot size was 30 m x 30 m, but some low-density and/or heterogeneous sites were 40 m x 40 m (and one, T7T3S, was 20 m x 20 m).

4.1.2 Source/Platform

None given.

4.1.3 Source/Platform Mission Objectives

None given.

4.1.4 Key Variables

The key variables include the location of the mapped plot or study area; stem map area; slope of the mapped plot; tree density per hectare; basal area per hectare; percent of basal area that belongs to a specific species; biomass per hectare; and crown height, crown depth, crown diameter, DBH, and crown position of a sample tree.

4.1.5 Principles of Operation

The centers of mapped plots generally correspond with the (0,0) reference point for the hemispherical photos of TE-23. The plots were oriented with respect to true north (using the declinations given in the data set, generally those given in Sellers and Hall, 1996). Standard plot size was 30 m x 30 m, but some low-density and/or heterogeneous sites were 40 m x 40 m (and one,

T7T3S, was 20 m x 20 m). The northwest corner of the mapped plot was considered the (0,0) point (therefore, for a standard 30-m x 30-m plot, the hemispherical photo center point is located at (15 m,15 m)). Positions are given as (x,y) pairs where x is the distance east of the plot origin, and y is the distance south.

4.1.6 Sensor/Instrument Measurement Geometry

None given.

4.1.7 Manufacturer of Sensor/Instrument

None given.

4.2 Calibration

None given.

4.2.1 Specifications

4.2.1.1 Tolerance

None given.

4.2.2 Frequency of Calibration

None given.

4.2.3 Other Calibration Information

Not applicable.

5. Data Acquisition Methods

To provide information on the homogeneity of the sampled sites (and consequently the 'representativeness' of the mapped plots), a broader scale sampling procedure was also used. Circular plots, labeled G-1 through G-8, of 100 m² each (5.64-m radius) were established in a square surrounding the mapped plot (see diagram below). The centers of the sides of this square were located 30 m distant from the center of the stem map (labeled MAP). When combined with the center 100-m² circle (extracted from the stem map), this yields a regularly spaced 3 x 3 grid of plots (totaling 900 m², across an area of approximately 3,600 m²).

	PLOT DIA	GRAM		
G-1	G-2		G-3	
	(0,0)	(n,0)		
	:	:		
G-8	: MAP	:	G-4	True north up.
	:	:		
	:	:		
	(0,n)	(n,n)		
G-7	G-6		G-5	
				Where:
				G = General Plot
				Map = Stem Map

Notes: General plots 1-8 are 100-m² circles (5.64-m radius). G-2, G-4, G-6, and G-8 are 30 m N, E, S, and W of the stem map center, respectively. A 5.64-m-radius circle is extracted from the center of the stem map to form G-9 (this sample is included in the general plot data summary, but individual tree data are not relisted; i.e., they can be found in the stem map data).

For the stem maps, data were collected for each tree (>= 5 DBH, except for some unproductive sites where 4 cm was used as a cutoff instead), and sapling (tree species < 5 cm DBH but > 1 m high), shrub (nontree woody species > 1 m high), ground cover, and some soils information was collected as well. The following information were collected for trees:

- (x,y) coordinates. Measured to the nearest 25 cm. Absolute locations should not be considered correct to better than +/- 1 m because of inaccuracies in the sampling method. Most locations should be correct to within +/- 50 cm, however.
- Species.
- DBH. Measured to the nearest 0.1 cm.
- Crown position, using the following categories:
 - Dominant: Emergent from canopy, > 90 % of crown exposed from all sides
 - Codominant: > 50 % of crown exposed on all sides, or fully exposed on at least one side of crown (180 degrees)
 - Partial codominant: > 50 % of crown exposed on one side of crown
 - Intermediate: At least some exposure of crown from sides
 - Gap: Angle between the vertical and the tops of surrounding crowns > 45 degrees
 - Vertical: Previous angle < 45 degrees (i.e., direct light must penetrate nearly straight down to reach crown)
 - Suppressed: No direct exposure even from directly above
 - Dead: Dead but still rooted (not sampled in all plots)

These definitions were adopted to characterize the radiation environment experienced by each tree more precisely. By matching data collected using these categories with data collected by TE-20 using the standard (dominant, codominant, intermediate, suppressed) categories, the following translations were generated:

- TE-22 Classification ----> Standard Classification
- Dominant, Codominant -> Dominant
- Partial codominant ----> Codominant
- Intermediate, Gap ----> Intermediate
- Vertical, Suppressed ----> Suppressed
- Mean height, mean crown depth, and mean crown diameter. Measured for a sampling (usually 10-20 trees per stem map, depending on canopy heterogeneity) of canopy and near-canopy trees. Crown spread measured across two perpendicular diameters.

Shrub and sapling data were collected in four 30 m x 1 m belt transects across the stem map. The number of individuals of each species meeting the definitions above were counted. In those plots, for which dead trees were not included in the stem map, the number of dead trees of each species in these belts was also noted. A count was also made of the number of down tree boles crossing each of these belts (old boles judged to be remaining from previous stands were not included in this count).

Ground cover sampling was performed in the center 1 m square of each 10 m x 10 m segment. The percentage cover of feather mosses, sphagnum, moss lichens, forbs, fungi, leaf litter, rocks, and organic and mineral soil was estimated for each subplot. If moss, lichen, or leaf litter constituted a significant fraction of the cover, its depth was noted (including partially decayed material, but not humus). The number of seedlings (< 1 m high) of each tree species in the subplot was recorded.

In three of the ground cover subplots (generally in the northwest, central, and southeast 10 m x 10 m segments), the depth to mineral soil was measured, and the organic and mineral soils described.

Canopy closure was also estimated in these locations using a spherical densiometer.

Degree of slope, aspect, and slope position were determined for each mapped plot.

Data Collected - General Sampling

Sampling of the 'general plots' used for broader-scale site characterization. Ground cover percentages and depths were estimated over the entire plot area rather than within a smaller subplot. Some heights were measured unless they appeared identical to those in the mapped plot.

6. Observations

6.1 Data Notes

The data set contains the list of sites sampled with variables describing the sampling procedure at each. Stem maps were not produced for several of the sites, either because TE-23 planned to produce them (e.g., W0Y5A, MTOW - the mixed aspen-spruce TE tower site in the SSA), or because of time constraints (e.g., G9I4S, at which a ninth circular plot was established at the site center). The exact location sampled deserves mention in a couple of cases. D9I1A* is not located at the actual auxiliary site because we could not find it. It is within several hundred meters of the site, however, in a pretty homogeneous forest. G4I3M is the first Forestry Canada point reached from the tie-in, and is the site used by TE-23 for photos. G4I3M2 is Forestry Canada point 2, and was heloflagged at the time we were there (25-Jul-1994). Information on age and productivity will be revised when data from tree cores are obtained.

Also see Section 10.2.5.

6.2 Field Notes

None given.

7. Data Description

7.1 Spatial Characteristics

None given.

7.1.1 Spatial Coverage

Site List and Descriptions

Site ID	Study Area	Dominant Species	Age	Productivity
D9G4A	SSA	Quaking Aspen	mature	average
D9I1A	SSA	Quaking Aspen	intermediate average	
F5I6P	SSA	Jack Pine	intermediate average	
F7J0P	SSA	Black Spruce/Jack Pine/White Spruce	mature	high
G4I3M	SSA	Quaking Aspen/White Spruce/Balsam Fir	mature	high
G4I3M2	SSA	Balsam Fir/White Spruce/Quaking Aspen	mature	high

G4K8P	SSA	Jack Pine	mature	low
G6K8S	SSA	Black Spruce/Tamarack	intermediate average	
G9I4S	SSA	Black Spruce	mature	low
G9L0P	SSA	Jack Pine	mature	high
MTOW	SSA	Quaking Aspen/Black Spruce	intermediate average	
99O9P	TRANSECT	Jack Pine/Black Spruce	intermediate low (rock)	
P7V1A	NSA	Quaking Aspen	mature	high
Q3V3P	NSA	Jack Pine/Quaking Aspen	mature	high
S9P3A	NSA	Quaking Aspen/P.Birch	intermediate average	
T0P5M	NSA	Black Spruce/Quaking Aspen	mature	high
T0P8S	NSA	Black Spruce	mature	high
T4U9S	NSA	Black Spruce/Tamarack	intermediate average	
T7T3S	NSA	Black Spruce	mature	low (muskeg)
T8Q9P	NSA	Jack Pine	intermediate high	
W0Y5A	NSA	Quaking Aspen	intermediate low	

The NSA measurement sites and associated North American Datum of 1983 (NAD83) coordinates are:

Site Type	Site ID	Latitude	Longitude	UTM Zone	UTM Northing	UTM Easting
NSA-9BS	T4U9S	55.83455°N	97.98364°W	14	6,188,132.8	563,657.5
NSA-9BS	T0P8S	55.88351°N	98.80225°W	14	6,193,132.0	512,370.1
NSA-9BS	T7T3S	55.89358°N	98.22621°W	14	6,194,505.6	548,391.8
NSA-9JP	Q3V3P	55.55712°N	98.02473°W	14	6,157,222.2	561,517.9
NSA-9JP	T8Q9P	55.93219°N	98.6105°W	14	6,198,601.4	524,334.5
NSA-9JP	99O9P	55.88173°N	99.03952°W	14	6,192,917.5	497,527.8

NSA-ASP	P7V1A	55.50253°N	98.07478°W	14	6,151,103.7	558,442.1
NSA-ASP	S9P3A	55.88576°N	98.87621°W	14	6,193,371.6	507,743.3
NSA-ASP	W0Y5A	56.00339°N	97.3355°W	14	6,207,706.6	603,796.6
NSA-MIX	T0P5M	55.88911°N	98.85662°W	14	6,193,747.3	508,967.7
SSA-9BS	G6K8S	53.94446°N	104.759°W	13	5,977,146.9	515,847.9
SSA-9BS	G9I4S	53.99877°N	105.11805°W	13	5,983,169.1	492,291.2
SSA-9JP	F5I6P	53.86608°N	105.11175°W	13	5,968,627.1	492,651.3
SSA-9JP	G9L0P	53.97576°N	104.73779°W	13	5,980,856.0	517,197.7
SSA-9JP	F7J0P	53.88336°N	105.05115°W	13	5,970,323.3	496,667.0
SSA-9JP	G4K8P	53.91883°N	104.76401°W	13	5,974,516.6	515,499.1
SSA-ASP	within 30 meters of D9I1A			13	5,952,900	486,300
SSA-ASP	D9G4A	53.74019°N	105.46929°W	13	5,954,718.4	469,047.1.
SSA-MIX	D9I1M	53.7254°N	105.20643°W	13	5,952,989.7	486,379.7.
SSA-MIX	G4I3M	53.9375°N	105.14246°W	13	5,976,354.9	490,677.3.

7.1.2 Spatial Coverage Map

Not available.

7.1.3 Spatial Resolution

The data are point measurements at the given locations.

7.1.4 Projection

Not applicable.

7.1.5 Grid Description

Not applicable.

7.2 Temporal Characteristics

7.2.1 Temporal Coverage

Measurements were made during the growing season of 1994.

7.2.2 Temporal Coverage Map

None given.

7.2.3 Temporal Resolution

None given.

7.3 Data Characteristics

The files consist of three types:

- Map Plot Site Information
- Map Plot Summary Information
- Tree Stem Map Information

7.3.1 Parameter/Variable

The parameters contained in the Tree Survey data files on the CD-ROM are:

TREE_MAP_PLOT_SITE

Column Name

SITE NAME

SUB_SITE

MEASUREMENT YEAR

PLOT DECLINATION

MIN_TREE_DIAMETER_BREAST_HT

MAP CREATED

STEM_MAP_AREA

DEAD_TREE_STEM_MAP

ASPECT_MAP_SLOPE

MEAN MAP SLOPE

GENERAL_SAMPLING

GENERAL_SAMPLING_AREA

DEAD TREE GENERAL SAMPLING

CRTFCN CODE

REVISION DATE

TREE_MAP_PLOT_SUMMARY

Column Name

SITE_NAME

SUB_SITE

 ${\tt MEASUREMENT_YEAR}$

PLOT ID

TREE STEM DENSITY

BASAL_AREA

BASAL_AREA_PICEA_MARIANA

BASAL_AREA_PICEA_GLAUCA

BASAL_AREA_POPULUS_TREMULOIDES

BASAL_AREA_POPULUS_BALSAMIFERA

BASAL_AREA_PINUS_BANKSIANA

BASAL AREA BETULA PAPYRIFERA

BASAL AREA LARIX LARICINA

BASAL_AREA_ABIES_BALSAMEA

BASAL_AREA_SALIX

CALC_BIOMASS_DENSITY

MEAN_TREE_HEIGHT

MEAN_CROWN_DEPTH

MEAN_CROWN_DIAMETER

NUM DEAD TREE

NUM_SAPLING

NUM SHRUBS

PERCENT_MOSS

PERCENT_LICHEN
PERCENT_LITTER
MEAN_MOSS_DEPTH
MEAN_LICHEN_DEPTH
MEAN_LITTER_DEPTH
MEAN_ORGANIC_SOIL_DEPTH
CRTFCN_CODE
REVISION_DATE

TREE_STEM_MAP

Column Name

SITE_NAME
SUB_SITE
MEASUREMENT_YEAR
PLOT_ID
SPECIES
X_GRID_COORD
Y_GRID_COORD
GENERAL_SUBPLOT_ID
TREE_DIAMETER_BREAST_HT
DOMINANCE_CLASS
CRTFCN_CODE
REVISION_DATE

7.3.2 Variable Description/Definition

The descriptions of the parameters contained in the Tree Survey data files on the CD-ROM are:

TREE_MAP_PLOT_SITE

Column Name	Description
SITE_NAME SUB_SITE	The identifier assigned to the site by BOREAS, in the format SSS-TTT-CCCCC, where SSS identifies the portion of the study area: NSA, SSA, REG, TRN, and TTT identifies the cover type for the site, 999 if unknown, and CCCCC is the identifier for site, exactly what it means will vary with site type. The identifier assigned to the sub-site by
	BOREAS, in the format GGGGG-IIIII, where GGGGG is the group associated with the sub-site instrument, e.g. HYD06 or STAFF, and IIIII is the identifier for sub-site, often this will refer to an instrument.
MEASUREMENT_YEAR	The year in which the data were collected.
PLOT_DECLINATION	The declination of the plot.
MIN_TREE_DIAMETER_BREAST_HT	The minimum tree diameter measured at breast height (137 cm) above the ground.
MAP_CREATED	Tells if a map was created.
STEM_MAP_AREA	The area of the stem map (always square).
DEAD_TREE_STEM_MAP	Tells if there were dead trees recorded in the stem map.
ASPECT_MAP_SLOPE	The direction in which the slope goes downward with respect to true North using the declination

given.

MEAN_MAP_SLOPE The average slope from the upper to the lower

edge of the mapped plot.

GENERAL SAMPLING Tells if general sampling (circular plots) was

performed.

GENERAL_SAMPLING_AREA The area covered by the circular plots, including

the central circle extracted from the stem map

(if applicable).

DEAD TREE GENERAL SAMPLING Tells if dead trees were recorded in the general

sampling (circular plots).

CRTFCN CODE The BOREAS certification level of the data.

> Examples are CPI (Checked by PI), CGR (Certified by Group), PRE (Preliminary), and CPI-??? (CPI

but questionable).

REVISION DATE The most recent date when the information in the

referenced data base table record was revised.

TREE_MAP_PLOT_SUMMARY

Column Name Description ______

The identifier assigned to the site by BOREAS, in SITE NAME

> the format SSS-TTT-CCCCC, where SSS identifies the portion of the study area: NSA, SSA, REG, TRN, and TTT identifies the cover type for the site, 999 if unknown, and CCCCC is the identifier for site, exactly what it means will vary with

site type.

SUB_SITE The identifier assigned to the sub-site by

BOREAS, in the format GGGGG-IIIII, where GGGGG is

the group associated with the sub-site

instrument, e.g. HYD06 or STAFF, and IIIII is the identifier for sub-site, often this will refer to

an instrument.

MEASUREMENT_YEAR The year in which the data were collected. PLOT_ID

The identifier for the plot from which the

measurement came.

TREE STEM DENSITY The number of trees per hectare.

BASAL AREA The basal area per hectare.

BASAL_AREA_PICEA_MARIANA The percent of basal area that is Picea mariana. BASAL AREA PICEA GLAUCA The percent of basal area that is Picea glauca.

BASAL_AREA_POPULUS_TREMULOIDES The percent of basal area that is Populus

tremuloides.

BASAL_AREA_POPULUS_BALSAMIFERA The percent of basal area that is Populus

balsamifera.

BASAL_AREA_PINUS_BANKSIANA The percent of basal area that is Pinus

banksiana.

BASAL AREA BETULA PAPYRIFERA The percent of basal area that is Betula

papyrifera.

BASAL AREA LARIX LARICINA The percent of basal area that is Larix laricina.

BASAL_AREA_ABIES_BALSAMEA The percent of basal area that is Abies balsamea.

BASAL_AREA_SALIX The percent of basal area that is Salix spp.. The biomass per hectare calculated using the CALC_BIOMASS_DENSITY

generalized equations of Singh (1986).

The mean height of the measured trees. MEAN_TREE_HEIGHT

MEAN CROWN DEPTH The average crown depth of the trees. MEAN_CROWN_DIAMETER The average crown diameter of the trees. The number of dead trees per hectare. NUM DEAD TREE NUM SAPLING The number of saplings per hectare. NUM SHRUBS The number of shrubs per hectare. PERCENT_MOSS The percentage of moss in the plot. The percentage of lichen in the plot. PERCENT LICHEN The percentage of litter in the plot. PERCENT_LITTER MEAN MOSS DEPTH The average depth of the moss in the plot. The average depth of the lichen in the plot. MEAN_LICHEN_DEPTH MEAN LITTER DEPTH The average depth of the litter in the plot. MEAN_ORGANIC_SOIL_DEPTH The average depth of the organic soil in the plot, including humus but not partially decomposed moss and lichen. CRTFCN CODE The BOREAS certification level of the data. Examples are CPI (Checked by PI), CGR (Certified by Group), PRE (Preliminary), and CPI-??? (CPI but questionable).

REVISION_DATE

The most recent date when the information in the referenced data base table record was revised.

TREE_STEM_MAP

Column Name Description

SITE_NAME The

The identifier assigned to the site by BOREAS, in the format SSS-TTT-CCCCC, where SSS identifies the portion of the study area: NSA, SSA, REG, TRN, and TTT identifies the cover type for the site, 999 if unknown, and CCCCC is the identifier for site, exactly what it means will vary with site type.

SUB SITE

The identifier assigned to the sub-site by BOREAS, in the format GGGGG-IIIII, where GGGGG is the group associated with the sub-site instrument, e.g. HYD06 or STAFF, and IIIII is the identifier for sub-site, often this will refer to an instrument.

MEASUREMENT_YEAR PLOT_ID

ENT_YEAR The year in which the data were collected.

The identifier for the plot from which the measurement came.

SPECIES

Botanical (Latin) name of the species (Genus

species).

X GRID COORD

The X grid coordinate where the measurements were taken. Corresponds to the distance from the reference, which was the tower, except at the black spruce site. See documentation for more details.

Y_GRID_COORD

The Y grid coordinate where the measurements were taken. Corresponds to the distance from the reference, which was the tower, except at the black spruce site. See documentation for more details.

GENERAL SUBPLOT ID

The subplot id for the general (circular) plots. `9` means that a circular plot was installed at

the center because no stem map was recorded.

TREE_DIAMETER_BREAST_HT The diameter of the tree at breast height (137 cm

above the ground).

DOMINANCE CLASS The dominance class of the tree.

CRTFCN CODE The BOREAS certification level of the data.

> Examples are CPI (Checked by PI), CGR (Certified by Group), PRE (Preliminary), and CPI-??? (CPI

but questionable).

The most recent date when the information in the REVISION DATE

referenced data base table record was revised.

IInita

7.3.3 Unit of Measurement

The measurement units for the parameters contained in the Tree Survey data files on the CD-ROM are:

TREE MAP PLOT SITE

Column Name	Units

SITE_NAME [none] SUB SITE [none] MEASUREMENT YEAR [unitless] PLOT DECLINATION [degrees East] MIN_TREE_DIAMETER_BREAST_HT [meters]

MAP_CREATED [none] STEM MAP AREA [meters^2] DEAD TREE STEM MAP [none] ASPECT MAP SLOPE [degrees] MEAN_MAP_SLOPE [degrees] GENERAL SAMPLING [none] GENERAL_SAMPLING_AREA [meters^2] DEAD TREE GENERAL SAMPLING [none] CRTFCN CODE [none] REVISION DATE [DD-MON-YY]

TREE_MAP_PLOT_SUMMARY

Column Name

SITE NAME [none] SUB_SITE [none] MEASUREMENT YEAR [unitless] PLOT_ID [none]

TREE STEM DENSITY [count][hectare^-1] BASAL AREA [meters^2][hectare^-1]

BASAL_AREA_PICEA_MARIANA [percent] BASAL_AREA_PICEA_GLAUCA [percent] BASAL_AREA_POPULUS_TREMULOIDES [percent] BASAL AREA POPULUS BALSAMIFERA [percent] BASAL AREA PINUS BANKSIANA [percent] BASAL AREA BETULA PAPYRIFERA [percent] BASAL_AREA_LARIX_LARICINA [percent] BASAL_AREA_ABIES_BALSAMEA [percent] BASAL_AREA_SALIX [percent]

CALC BIOMASS DENSITY [kilograms][hectare^-1]

MEAN_TREE_HEIGHT [meters] MEAN CROWN DEPTH [meters] MEAN_CROWN_DIAMETER [meters]

NUM DEAD TREE [count][hectare^-1] NUM SAPLING [count][hectare^-1] NUM SHRUBS [count][hectare^-1]

PERCENT_MOSS [percent] PERCENT LICHEN [percent] PERCENT_LITTER [percent] MEAN MOSS DEPTH [millimeters] MEAN_LICHEN_DEPTH [millimeters] MEAN LITTER DEPTH [millimeters] MEAN ORGANIC SOIL DEPTH [millimeters]

CRTFCN_CODE [none] REVISION DATE [DD-MON-YY]

TREE STEM MAP

Column Name Units

SITE_NAME [none] SUB SITE [none] MEASUREMENT YEAR [unitless] PLOT ID [none] SPECIES [none] [meters] X_GRID_COORD Y GRID COORD GENERAL_SUBPLOT_ID [none] TREE_DIAMETER_BREAST_HT [meters] DOMINANCE_CLASS [none] CRTFCN CODE [none] REVISION_DATE [DD-MON-YY]

7.3.4 Data Source

The sources of the parameter values contained in the Tree Survey data files on the CD-ROM are:

TREE_MAP_PLOT_SITE

Column Name Data Source ______

SITE NAME [BORIS Designation] SUB_SITE [BORIS Designation] MEASUREMENT YEAR [Human Observer] PLOT_DECLINATION [Human Observer]

MIN_TREE_DIAMETER_BREAST_HT [Laboratory Equipment]

MAP CREATED [Human Observer]

STEM MAP AREA [Laboratory Equipment]

DEAD_TREE_STEM_MAP [Human Observer]

ASPECT_MAP_SLOPE [Laboratory Equipment] MEAN MAP SLOPE [Laboratory Equipment]

GENERAL SAMPLING [Human Observer]

GENERAL_SAMPLING_AREA [Laboratory Equipment]
DEAD_TREE_GENERAL_SAMPLING [Human Observer] CRTFCN CODE [BORIS Designation] REVISION_DATE [BORIS Designation]

TREE_MAP_PLOT_SUMMARY

Column Name

CTTE NAME	[BODIC Designation]

Data Source

SITE_NAME [BORIS Designation]
SUB_SITE [BORIS Designation]
MEASUREMENT_YEAR [Human Observer]
PLOT_ID [Human Observer]

[Laboratory Equipment] TREE_STEM_DENSITY BASAL AREA [Laboratory Equipment] BASAL_AREA_PICEA_MARIANA [Laboratory Equipment] BASAL AREA PICEA GLAUCA [Laboratory Equipment] BASAL_AREA_POPULUS_TREMULOIDES [Laboratory Equipment] BASAL_AREA_POPULUS_BALSAMIFERA [Laboratory Equipment] BASAL AREA PINUS BANKSIANA [Laboratory Equipment] BASAL AREA BETULA PAPYRIFERA [Laboratory Equipment] BASAL AREA LARIX LARICINA [Laboratory Equipment] BASAL_AREA_ABIES_BALSAMEA [Laboratory Equipment] BASAL AREA SALIX [Laboratory Equipment] CALC_BIOMASS_DENSITY [Laboratory Equipment] MEAN TREE HEIGHT [Laboratory Equipment] MEAN CROWN DEPTH [Laboratory Equipment] MEAN CROWN DIAMETER [Laboratory Equipment]

NUM_DEAD_TREE [Human Observer]

NUM_SAPLING [Human Observer]

NUM_SHRUBS [Human Observer]

PERCENT_MOSS [Human Observer]

PERCENT_LICHEN [Human Observer]

PERCENT_LITTER [Human Observer]

MEAN_MOSS_DEPTH [Laboratory Equipment]
MEAN_LICHEN_DEPTH [Laboratory Equipment]
MEAN_LITTER_DEPTH [Laboratory Equipment]
MEAN_ORGANIC_SOIL_DEPTH [Laboratory Equipment]
CRTFCN_CODE [BORIS Designation]
REVISION_DATE [BORIS Designation]

TREE_STEM_MAP

Column Name Data Source

SITE_NAME [BORIS Designation] SUB SITE [BORIS Designation] MEASUREMENT_YEAR [Human Observer] [Human Observer] PLOT ID [Human Observer] SPECIES X_GRID_COORD [Human Observer] Y GRID COORD [Human Observer] GENERAL_SUBPLOT_ID [Human Observer]

TREE_DIAMETER_BREAST_HT [Laboratory Equipment]

DOMINANCE_CLASS [Human Observer]

CRTFCN_CODE [BORIS Designation]

REVISION_DATE [BORIS Designation]

7.3.5 Data Range

The following table gives information about the parameter values found in the Tree Survey data files on the CD-ROM are:

TREE_MAP_PLOT_SITE

	Minimum	Maximum	Missng	Unrel	Below	Data
	Data	Data	Data	Data	Detect	Not
Column Name	Value	Value	Value	Value	Limit	Cllctd
SITE_NAME	NSA-9BS-AUX04	SSA-MIX-AUX02	None	None	None	None
SUB_SITE	9TE22-MAP01	9TE22-MAP01	None	None	None	None
MEASUREMENT_YEAR	1994	1994	None	None	None	None
PLOT_DECLINATION	0	17	None	None	None	None
MIN_TREE_DIAMETER_	0	.05	None	None	None	None
BREAST_HT						
MAP_CREATED	NO	YES	None	None	None	None
STEM_MAP_AREA	400	1600	-999	None	None	None
DEAD_TREE_STEM_MAP	NO	YES	-999	None	None	None
ASPECT_MAP_SLOPE	0	350	-999	None	None	None
MEAN_MAP_SLOPE	0	12	-999	None	None	None
GENERAL_SAMPLING	YES	YES	None	None	None	None
GENERAL_SAMPLING_	500	900	None	None	None	None
AREA						
DEAD_TREE_GENERAL_	NO	YES	None	None	None	None
SAMPLING						
CRTFCN_CODE	CPI	CPI	None	None	None	None
REVISION_DATE	12-FEB-99	12-FEB-99	None	None	None	None

TREE_MAP_PLOT_SUMMARY

Column Name	Minimum Data Value	Maximum Data Value	Missng Data Value	Data		
SITE NAME	NSA-9BS-AUX04	SSA-MIX-AUX02	None	None	None	None
SUB SITE	9TE22-MAP01		None	None	None	None
_ MEASUREMENT_YEAR	1994	1994	None	None	None	None
PLOT_ID	N/A	N/A	None	None	None	None
TREE_STEM_DENSITY	438	6011	-999	None	None	None
BASAL_AREA	6.08	47.94	-999	None	None	None
BASAL_AREA_PICEA_	0	100	-999	None	None	None
MARIANA	_					
BASAL_AREA_PICEA_	0	42.5	-999	None	None	None
GLAUCA	0	100	000	None	None	None
BASAL_AREA_POPULUS_ TREMULOIDES	U	100	-999	None	None	None
BASAL_AREA_POPULUS_	0	7.8	-999	None	None	None
BALSAMIFERA						
BASAL_AREA_PINUS_	0	100	-999	None	None	None
BANKSIANA						
BASAL_AREA_BETULA_	0	26.4	-999	None	None	None
PAPYRIFERA						
BASAL_AREA_LARIX_	0	25.9	-999	None	None	None
LARICINA						

0	43.4	-999	None	None	None
0	2.7	-999	None	None	None
13684	219501	-999	None	None	None
4.9	24.4	-999	None	None	None
2.7	15.7	-999	None	None	None
.9	6.1	-999	None	None	None
0	2750	-999	None	None	None
0	6083	-999	None	None	None
0	25225	-999	None	None	None
0	95	-999	None	None	None
0	70	-999	None	None	None
0	55	-999	None	None	None
40	250	-999	None	None	None
20	80	-999	None	None	None
10	600	-999	None	None	None
-9990	340	None	None	None	None
CPI	CPI	None	None	None	None
12-FEB-99	12-FEB-99	None	None	None	None
	0 7 13684 4.9 2.7 .9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 2.7 7 13684 219501 4.9 24.4 2.7 15.7 .9 6.1 0 2750 0 6083 0 25225 0 95 0 70 0 55 40 250 20 80 10 600 -9990 340	0 2.7 -999 7 13684 219501 -999 4.9 24.4 -999 2.7 15.7 -999 0 2750 -999 0 6083 -999 0 6083 -999 0 25225 -999 0 95 -999 0 70 -999 0 55 -999 40 250 -999 20 80 -999 10 600 -999 -9990 340 None CPI CPI None	0 2.7 -999 None 13684 219501 -999 None 4.9 24.4 -999 None 2.7 15.7 -999 None 0 2750 -999 None 0 2750 -999 None 0 6083 -999 None 0 6083 -999 None 0 25225 -999 None 0 95 -999 None 0 95 -999 None 0 55 -999 None 0 55 -999 None 20 80 -999 None 20 80 -999 None 10 600 -999 None 10 600 -999 None -9990 340 None	0 2.7 -999 None None 13684 219501 -999 None None 4.9 24.4 -999 None None 2.7 15.7 -999 None None .9 6.1 -999 None None 0 2750 -999 None None 0 6083 -999 None None 0 25225 -999 None None 0 95 -999 None None 0 70 -999 None None 0 55 -999 None None 40 250 -999 None None 20 80 -999 None None 10 600 -999 None None CPI CPI None None None

TREE_STEM_MAP

Column Name	Minimum Data Value	Maximum Data Value	Missng Data Value	Unrel Data Value	Below Detect Limit	Data Not Cllctd
SITE_NAME SUB SITE	NSA-9BS-AUX04 9TE22-MAP01	SSA-MIX-AUX02 9TE22-MAP01	None None	None None	None None	None None
MEASUREMENT_YEAR	1994	1994	None	None	None	None
PLOT_ID	N/A	N/A	None	None	None	None
SPECIES X GRID COORD	N/A 0	N/A 39.75	None None	None None	None None	None Blank
Y_GRID_COORD	0	40	None	None	None	Blank
GENERAL_SUBPLOT_ID	1	9	None	None	None	Blank
TREE_DIAMETER_BREAST _HT	4	64.9	None	None	None	Blank
DOMINANCE_CLASS	N/A	N/A	None	None	None	None
CRTFCN_CODE	CPI	CPI	None	None	None	None
REVISION_DATE	23-FEB-99	24-FEB-99	None	None	None	None

Minimum Data Value -- The minimum value found in the column.

Maximum Data Value -- The maximum value found in the column.

Missng Data Value -- The value that indicates missing data. This is used to indicate that an attempt was made to determine the parameter value, but the attempt was unsuccessful.

-- The value that indicates unreliable data. This is used Unrel Data Value to indicate an attempt was made to determine the parameter value, but the value was deemed to be unreliable by the analysis personnel.

Below Detect Limit -- The value that indicates parameter values below the instruments detection limits. This is used to indicate that an attempt was made to determine the parameter value, but the analysis personnel determined that the parameter value was below the detection limit of the instrumentation.

Data Not Cllctd

-- This value indicates that no attempt was made to determine the parameter value. This usually indicates that BORIS combined several similar but not identical data sets into the same data base table but this particular science team did not measure that parameter.

Blank -- Indicates that blank spaces are used to denote that type of value. N/A -- Indicates that the value is not applicable to the respective column. None -- Indicates that no values of that sort were found in the column.

7.4 Sample Data Record

The following are wrapped versions of records from a sample of Tree Survey data files on the CD-ROM are:

TREE_MAP_PLOT_SITE

SITE_NAME, SUB_SITE, MEASUREMENT_YEAR, PLOT_DECLINATION, MIN_TREE_DIAMETER_BREAST_HT, MAP_CREATED, STEM_MAP_AREA, DEAD_TREE_STEM_MAP, ASPECT_MAP_SLOPE, MEAN_MAP_SLOPE, GENERAL_SAMPLING, GENERAL_SAMPLING_AREA, DEAD_TREE_GENERAL_SAMPLING, CRTFCN_CODE, REVISION DATE

'NSA-9BS-AUX04','9TE22-MAP01',1994,9.0,.05,'YES',900,'NO',45,1,'YES',900,'NO',
'CPI',12-FEB-99

'NSA-9BS-AUX07','9TE22-MAP01',1994,0.0,.05,'YES',900,'YES',300,3,'YES',900,'NO',

TREE_MAP_PLOT_SUMMARY

SITE_NAME, SUB_SITE, MEASUREMENT_YEAR, PLOT_ID, TREE_STEM_DENSITY, BASAL_AREA,
BASAL_AREA_PICEA_MARIANA, BASAL_AREA_PICEA_GLAUCA, BASAL_AREA_POPULUS_TREMULOIDES,
BASAL_AREA_POPULUS_BALSAMIFERA, BASAL_AREA_PINUS_BANKSIANA,

BASAL_AREA_BETULA_PAPYRIFERA,BASAL_AREA_LARIX_LARICINA,

BASAL_AREA_ABIES_BALSAMEA, BASAL_AREA_SALIX, CALC_BIOMASS_DENSITY,

MEAN_TREE_HEIGHT, MEAN_CROWN_DEPTH, MEAN_CROWN_DIAMETER, NUM_DEAD_TREE, NUM_SAPLING, NUM_SHRUBS, PERCENT_MOSS, PERCENT_LICHEN, PERCENT_LITTER, MEAN_MOSS_DEPTH,

MEAN_LICHEN_DEPTH, MEAN_LITTER_DEPTH, MEAN_ORGANIC_SOIL_DEPTH, CRTFCN_CODE, REVISION DATE

'NSA-9BS-AUX04','9TE22-MAP01',1994,'-M',3389,31.42,71.2,0.0,0.0,0.0,0.0,0.2,25.9,0.0,2.7,111373.0,13.4,9.6,3.2,750,2167,167,60.0,5.0,12.0,250,-999,-999,110,'CPI',12-FEB-99

TREE_STEM_MAP

SITE_NAME, SUB_SITE, MEASUREMENT_YEAR, PLOT_ID, SPECIES, X_GRID_COORD, Y_GRID_COORD, GENERAL_SUBPLOT_ID, TREE_DIAMETER_BREAST_HT, DOMINANCE_CLASS, CRTFCN_CODE, REVISION DATE

'NSA-9BS-AUX04','9TE22-MAP01',1994,'MAP','Picea mariana',0.0,1.0,'',12.6,'GAP','CPI',24-FEB-99

'NSA-9BS-AUX04','9TE22-MAP01',1994,'MAP','Picea mariana',0.0,2.5,'',19.0,
'PARTIAL CODOMINANT','CPI',24-FEB-99

8. Data Organization

8.1 Data Granularity

The smallest unit of data tracked by the BOREAS Information System (BORIS) was the data collected at a given site on a given date.

8.2 Data Format(s)

The Compact Disk-Read-Only Memory (CD-ROM) files contain American Standard Code for Information Interchange (ASCII) numerical and character fields of varying length separated by commas. The character fields are enclosed with single apostrophe marks. There are no spaces between the fields.

Each data file on the CD-ROM has four header lines of Hyper-Text Markup Language (HTML) code at the top. When viewed with a Web browser, this code displays header information (data set title, location, date, acknowledgments, etc.) and a series of HTML links to associated data files and related data sets. Line 5 of each data file is a list of the column names, and line 6 and following lines contain the actual data.

9. Data Manipulations

9.1 Formulae

None given.

9.1.1 Derivation Techniques and Algorithms

None given.

9.2 Data Processing Sequence

None given.

9.2.1 Processing Steps

None given.

9.2.2 Processing Changes

None given.

9.3 Calculations

9.3.1 Special Corrections/Adjustments

None given.

9.3.2 Calculated Variables

None given.

9.4 Graphs and Plots

None given.

10. Errors

10.1 Sources of Error

None given.

10.2 Quality Assessment

10.2.1 Data Validation by Source

None given.

10.2.2 Confidence Level/Accuracy Judgment

None given.

10.2.3 Measurement Error for Parameters

None given.

10.2.4 Additional Quality Assessments

None given.

10.2.5 Data Verification by Data Center

Data were examined for general consistency and clarity.

The Tree Stem Map Data submitted by TE-22 personnel had 17 rows of data removed from the extracted data files due to invalid data in the dominance_class column. The rows that were removed are listed below.

```
SITE_NAME, SUB_SITE, MEASUREMENT_YEAR, PLOT_ID, SPECIES, X_GRID_COORD, Y_GRID_COORD,
GENERAL_SUBPLOT_ID, TREE_DIAMETER_BREAST_HT, DOMINANCE_CLASS, CRTFCN_CODE,
REVISION DATE
'NSA-9BS-AUX07','9TE22-MAP01',1994,'GENERAL','Picea mariana',,,'5',23.4,'8',
'CPI',24-FEB-99
'SSA-ASP-AUX08', '9TE22-MAP01', 1994, 'GENERAL', 'Populus tremuloides',,,,'5',8.1,'?',
'CPI',24-FEB-99
'SSA-ASP-AUX08','9TE22-MAP01',1994,'GENERAL','Populus tremuloides',,,'5',14.0,
'?','CPI',24-FEB-99
'SSA-ASP-AUX08','9TE22-MAP01',1994,'GENERAL','Populus tremuloides',,,'5',13.8,
'?','CPI',24-FEB-99
'SSA-ASP-AUX08', '9TE22-MAP01', 1994, 'GENERAL', 'Populus tremuloides',,, '5', 14.7,
'?','CPI',24-FEB-99
'SSA-ASP-AUX08', '9TE22-MAP01',1994, 'GENERAL', 'Populus tremuloides',,,,'5',7.9,'?',
'CPI',24-FEB-99
'SSA-ASP-AUX08', '9TE22-MAP01', 1994, 'GENERAL', 'Populus tremuloides',,, '5', 14.9,
'?','CPI',24-FEB-99
'SSA-ASP-AUX08', '9TE22-MAP01', 1994, 'GENERAL', 'Populus tremuloides',,,,'5',8.8,'?',
'CPI',24-FEB-99
'SSA-ASP-AUX08', '9TE22-MAP01', 1994, 'GENERAL', 'Populus tremuloides',,, '5', 17.9,
'?','CPI',24-FEB-99
'SSA-ASP-AUX08','9TE22-MAP01',1994,'GENERAL','Populus tremuloides',,,,'5',12.5,
'?','CPI',24-FEB-99
'SSA-ASP-AUX08', '9TE22-MAP01', 1994, 'GENERAL', 'Populus tremuloides',,, '5', 16.5,
'?','CPI',24-FEB-99
'SSA-ASP-AUX08','9TE22-MAP01',1994,'GENERAL','Populus tremuloides',,,,'5',10.4,
'?','CPI',24-FEB-99
'SSA-ASP-AUX08', '9TE22-MAP01', 1994, 'GENERAL', 'Populus tremuloides',,, '5', 17.1,
'?','CPI',24-FEB-99
'SSA-ASP-AUX08', '9TE22-MAP01', 1994, 'GENERAL', 'Populus tremuloides',,,,'5',9.7,
'?','CPI',24-FEB-99
'SSA-ASP-AUX08', '9TE22-MAP01', 1994, 'GENERAL', 'Populus tremuloides',,, '5', 11.3,
'?','CPI',24-FEB-99
'SSA-ASP-AUX08', '9TE22-MAP01', 1994, 'GENERAL', 'Populus tremuloides',,, '5', 16.3,
'?','CPI',24-FEB-99
'SSA-ASP-AUX08','9TE22-MAP01',1994,'GENERAL','Populus tremuloides',,,'5',17.2,
'?','CPI',24-FEB-99
```

11. Notes

11.1 Limitations of the Data

None given.

11.2 Known Problems with the Data

None given.

11.3 Usage Guidance

None given.

11.4 Other Relevant Information

Thanks to Carolyn Dowling and David Lawrence at UVA for field assistance and to Jason for help in site location.

12. Application of the Data Set

This data set can be used to study the spatial characteristics of the boreal forest.

13. Future Modifications and Plans

None given.

14. Software

14.1 Software Description

None given.

14.2 Software Access

None given.

15. Data Access

The allometric forest survey data are available from the Earth Observing System Data and Information System (EOSDIS) Oak Ridge National Laboratory (ORNL) Distributed Active Archive Center (DAAC).

15.1 Contact Information

For BOREAS data and documentation please contact:

ORNL DAAC User Services Oak Ridge National Laboratory P.O. Box 2008 MS-6407 Oak Ridge, TN 37821-6407

Phone: (423) 241-3952 Fax: (423) 574-4665

E-mail: ornldaac@ornl.gov or ornl@eos.nasa.gov

15.2 Data Center Identification

Earth Observing System Data and Information System (EOSDIS) Oak Ridge National Laboratory (ORNL) Distributed Active Archive Center (DAAC) for Biogeochemical Dynamics http://www-eosdis.ornl.gov/.

15.3 Procedures for Obtaining Data

Users may obtain data directly through the ORNL DAAC online search and order system [http://www-eosdis.ornl.gov/] and the anonymous FTP site [ftp://www-eosdis.ornl.gov/data/] or by contacting User Services by electronic mail, telephone, fax, letter, or personal visit using the contact information in Section 15.1.

15.4 Data Center Status/Plans

The ORNL DAAC is the primary source for BOREAS field measurement, image, GIS, and hardcopy data products. The BOREAS CD-ROM and data referenced or listed in inventories on the CD-ROM are available from the ORNL DAAC.

16. Output Products and Availability

16.1 Tape Products

None.

16.2 Film Products

None.

16.3 Other Products

These data are available on the BOREAS CD-ROM series.

17. References

17.1 Platform/Sensor/Instrument/Data Processing Documentation None.

17.2 Journal Articles and Study Reports

Newcomer, J., D. Landis, S. Conrad, S. Ĉurd, K. Huemmrich, D. Knapp, A. Morrell, J. Nickeson, A. Papagno, D. Rinker, R. Strub, T. Twine, F. Hall, and P. Sellers, eds. 2000. Collected Data of The Boreal Ecosystem-Atmosphere Study. NASA. CD-ROM.

Sellers, P. and F. Hall. 1994. Boreal Ecosystem-Atmosphere Study: Experiment Plan. Version 1994-3.0, NASA BOREAS Report (EXPLAN 94).

Sellers, P. and F. Hall. 1996. Boreal Ecosystem-Atmosphere Study: Experiment Plan. Version 1996-2.0, NASA BOREAS Report (EXPLAN 96).

Sellers, P., F. Hall, and K.F. Huemmrich. 1996. Boreal Ecosystem-Atmosphere Study: 1994 Operations. NASA BOREAS Report (OPS DOC 94).

Sellers, P., F. Hall, and K.F. Huemmrich. 1997. Boreal Ecosystem-Atmosphere Study: 1996 Operations. NASA BOREAS Report (OPS DOC 96).

Sellers, P., F. Hall, H. Margolis, B. Kelly, D. Baldocchi, G. den Hartog, J. Cihlar, M.G. Ryan, B. Goodison, P. Crill, K.J. Ranson, D. Lettenmaier, and D.E. Wickland. 1995. The boreal ecosystem-atmosphere study (BOREAS): an overview and early results from the 1994 field year. Bulletin of the American Meteorological Society. 76(9):1549-1577.

Sellers, P.J., F.G. Hall, R.D. Kelly, A. Black, D. Baldocchi, J. Berry, M. Ryan, K.J. Ranson, P.M. Crill, D.P. Lettenmaier, H. Margolis, J. Cihlar, J. Newcomer, D. Fitzjarrald, P.G. Jarvis, S.T. Gower, D. Halliwell, D. Williams, B. Goodison, D.E. Wickland, and F.E. Guertin. 1997. BOREAS in 1997: Experiment Overview, Scientific Results and Future Directions. Journal of Geophysical Research 102(D24): 28,731-28,770.

Singh, T. 1986. Generalizing biomass equations for the boreal forest region of west-central Canada. Forest Ecology and Management 17: 97-107.

17.3 Archive/DBMS Usage Documentation

None.

18. Glossary of Terms

Basal Area - The area of the base of the tree. Origin - Defined as (0,0), the northwest corner of the plot. Stem Map - The position of a tree in a plot based on the coordinate system (X,Y) of the plot. X - The distance east of the plot origin. Y - The distance south of the plot origin.

19. List of Acronyms

ASCII - American Standard Code for Information Interchange

BOREAS - BOReal Ecosystem-Atmosphere Study

BORIS - BOREAS Information System

CD-ROM - Compact Disk-Read-Only Memory

DAAC - Distributed Active Archive Center

DBH - Diameter at Breast Height

DOY - Julian Day of Year
EOS - Earth Observing System

EOSDIS - EOS Data and Information System
GIS - Geographic Information System

GMT - Greenwich Mean Time

GSFC - Goddard Space Flight Center HTML - HyperText Markup Language IFC - Intensive Field Campaign

MIX - Mixed Wood

NAD83 - North American Datum of 1983

NASA - National Aeronautics and Space Administration NOAA - National Oceanic and Atmospheric Administration

NSA - Northern Study Area

OA - Old Aspen

OBS - Old Black Spruce OJP - Old Jack Pine

ORNL - Oak Ridge National Laboratory
PANP - Prince Albert National Park
RSS - Remote Sensing Science
SIR-C - Shuttle Imaging Radar-C

SSA - Southern Study Area

TE - Terrestrial Ecology

TF - Tower Flux
TM - Thematic Mapper

URL - Uniform Resource Locator
UTM - Universal Transverse Mercator

YJP - Young Jack Pine

20. Document Information

20.1 Document Revision Date

Written: 11-Mar-1996 Last Updated: 22-Sep-1999

20.2 Document Review Date(s)

BORIS Review: 30-Oct-1998 Science Review: 12-Dec-1998

20.3 Document ID

20.4 Citation

When using these data, please acknowledge H.H. Shugart and Eric Nielsen, both of the Dept. of Environmental Sciences, University of Virginia, and include citations of relevant papers in Section 17.2.

If using data from the BOREAS CD-ROM series, also reference the data as:

Shugart, H.H., and E. Nielsen, "Multidisciplinary Integrative Models of Forest Ecosystem Dynamics for the Boreal Forest Biome." In Collected Data of The Boreal Ecosystem-Atmosphere Study. Eds. J. Newcomer, D. Landis, S. Conrad, S. Curd, K. Huemmrich, D. Knapp, A. Morrell, J. Nickeson, A. Papagno, D. Rinker, R. Strub, T. Twine, F. Hall, and P. Sellers. CD-ROM. NASA, 2000.

Also, cite the BOREAS CD-ROM set as:

Newcomer, J., D. Landis, S. Conrad, S. Curd, K. Huemmrich, D. Knapp, A. Morrell, J. Nickeson, A. Papagno, D. Rinker, R. Strub, T. Twine, F. Hall, and P. Sellers, eds. Collected Data of The Boreal Ecosystem-Atmosphere Study. NASA. CD-ROM. NASA, 2000.

20.5 Document Curator

20.6 Document URL

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson David Highery Surface (2014) (1915) (1914) (1915) (1914) (1915) (1914) (1915) (1914) (1915) (

Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Heduction Project (0704-0188), Washington, DC 2050:				
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE October 2000	3. REPORT TYPE AND DATES COVERED Technical Memorandum		
4. TITLE AND SUBTITLE			5. FUNDING NUMBERS	
Technical Report Series on the Bo	oreal Ecosystem-Atmosphere	e Study (BOREAS)		
BOREAS TE-22 Allometric I	Forest Survey Data		923	
6. AUTHOR(S)			RTOP: 923-462-33-01	
H.H. Shugart and Eric Nielse	n			
Forrest G. Hall and Andrea P				
7. PERFORMING ORGANIZATION NAMI	E(S) AND ADDRESS (ES)		8. PEFORMING ORGANIZATION REPORT NUMBER	
Goddard Space Flight Center			NEI GIVI NGIIIZEIV	
Greenbelt, Maryland 20771			2000-03136-0	
9. SPONSORING / MONITORING AGE	ENCY NAME(S) AND ADDRESS	S (ES)	10. SPONSORING / MONITORING AGENCY REPORT NUMBER	
National Aeronautics and Space	Administration		TM-2000-209891	
Washington, DC 20546-0001		Vol. 186		
C				
11. SUPPLEMENTARY NOTES	Hairanita af Minainia C	N1 - 44 11		
H.H. Shugart and E. Nielsen:	•		abolt Mountond	
A. Papagno: Raytheon ITSS,	NASA Goddard Space F	ngni Center, Gree	nben, Maryland	
12a. DISTRIBUTION / AVAILABILITY STA	ATEMENT		12b. DISTRIBUTION CODE	
Unclassified—Unlimited				
Subject Category: 43				
Report available from the NASA	*	·		
7121 Standard Drive, Hanover,	MD 21076-1320. (301) 62	1-0390.		
13. ABSTRACT (Maximum 200 words)				
The BOREAS TE-22 team co	ollected data sets in suppo	ort of its efforts to	characterize and interpret	

The BOREAS TE-22 team collected data sets in support of its efforts to characterize and interpret information on the forest structure of boreal vegetation in the SSA and NSA during the 1994 growing season. The data are stored in tabular ASCII files.

14. SUBJECT TERMS BOREAS, terrestrial ecology, boreal vegetation.			15. NUMBER OF PAGES 24 16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT UL	